INTU

FILTERED HOT TAPS

3-1 VISION SENSOR PRO

Pulldown Filtered Water Tap

+ Filtered Cold Water
+ Hands-free Sensor
+ Hot & Cold Mixer

TAP FEATURES

+ Seperate flow for filtered water and mixed water
+ Seperate button for filtered water on nozzle
+ Hands-free sensor
+ 220 degree spout swivel
+ Adjustable dual spray button
+ Pull-down nozzle with weight
+ Fits standard 35mm tap hole
+ No cross contamination. Domestic water can be run immediately after.

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 3 in 1 water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 490mm
+ Width - 115mm
+ Spout to nozzle - 220mm
+ Base to nozzle - 267 mm

FLOW RATES

At 1 Bar:

Cold Water : 3.23L/Min
Hot Water : 3.19L/Min
Mix Water : 3.49L/Min
Filtered Water : 1.58L/Min

At 3 Bar:

Cold Water : 5.32L/Min
Hot Water : 5.27L/Min
Mix Water : 5.86L/Min
Filtered Water : 2.71L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

3-1 FLAIR
Filtered Water Tap

+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Seperate flow for filtered water and mixed water
+ Seperate handle for filtered water
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ No cross contamination. Domestic water can be run immediately after.

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 3 in 1 water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 345mm
+ Width - 145mm
+ Spout to nozzle - 205mm
+ Base to nozzle - 230 mm

FLOW RATES

At 1 Bar:

Cold Water : 3.66L/Min
Hot Water : 3.98L/Min
Mix Water : 4.16L/Min
Filtered Water : 3.10L/Min

At 3 Bar:

Cold Water : 6.78L/Min
Hot Water : 6.98L/Min
Mix Water : 7.70L/Min
Filtered Water : 6.14L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

3-1 FUSION

Filtered Water Tap

+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Seperate flow for filtered water and mixed water
+ Seperate handle for filtered water
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ No cross contamination. Domestic water can be run immediately after.

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 3 in 1 water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

FLOW RATES

At 1 Bar:

Cold Water : 4.13L/Min
Hot Water : 4.17L/Min
Mix Water : 4.59L/Min
Filtered Water : 2.63L/Min

At 3 Bar:

Cold Water : 8.12L/Min
Hot Water : 8.13L/Min
Mix Water : 9.24L/Min
Filtered Water : 5.01L/Min

Key: L = Litre, Min = Minute

DIMENSIONS

+ Height - 325mm
+ Width - 145mm
+ Spout to nozzle - 210mm
+ Base to nozzle - 285 mm



INTU

FILTERED HOT TAPS

3-1 ASPREY

Boiling Water Tap

+ Filtered Boiling Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safety lock - auto shut off handle
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 700mm
+ WRAS approved

FLOW RATES

At 1 Bar:

Cold Water : 5.60L/Min
Hot Water : 5.60L/Min
Mix Water : 6.85L/Min
Boiling Water : 2.96L/Min

At 3 Bar:

Cold Water : 9.75L/Min
Hot Water : 9.75L/Min
Mix Water : 11.80L/Min
Boiling Water : 5.41L/Min

Key: L = Litre, Min = Minute

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 3 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 390mm
+ Width - 165mm
+ Spout to nozzle - 200mm
+ Base to nozzle - 242 mm



INTU

FILTERED HOT TAPS

3-1 EXPRESSION

Boiling Water Tap

+ Filtered Boiling Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safety lock - auto shut off handle
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 700mm
+ WRAS approved

FLOW RATES

At 1 Bar:

Cold Water : 5.60L/Min
Hot Water : 5.60L/Min
Mix Water : 6.85L/Min
Boiling Water : 2.96L/Min

At 3 Bar:

Cold Water : 9.75L/Min
Hot Water : 9.75L/Min
Mix Water : 11.80L/Min
Boiling Water : 5.41L/Min

Key: L = Litre, Min = Minute

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 3 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 350mm
+ Width - 165mm
+ Spout to nozzle - 210mm
+ Base to nozzle - 260 mm



INTU

FILTERED HOT TAPS

4-1 4OUR SWAN
Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safety lock - auto shut off handle
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Great heat preservation performance
+ Extra long tap hoses for easier insallation - 700mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 390mm
+ Width - 165mm
+ Spout to nozzle - 200mm
+ Base to nozzle - 242mm

FLOW RATES

At 1 Bar:

Cold Water : 5.20L/Min
Hot Water : 5.01L/Min
Mix Water : 6.49L/Min
Boiling Water : 2.37L/Min
Filtered Water : 2.71L/Min

At 3 Bar:

Cold Water : 8.77L/Min
Hot Water : 8.81L/Min
Mix Water : 11.40L/Min
Boiling Water : 4.33L/Min
Filtered Water : 4.95L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

4-1 4OUR SQUARE

Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safety lock - auto shut off handle
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 700mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 358mm
+ Width - 165mm
+ Spout to nozzle - 210mm
+ Base to nozzle - 268mm

FLOW RATES

At 1 Bar:

Cold Water : 5.20L/Min
Hot Water : 5.01L/Min
Mix Water : 6.49L/Min
Boiling Water : 2.37L/Min
Filtered Water : 2.71L/Min

At 3 Bar:

Cold Water : 8.77L/Min
Hot Water : 8.81L/Min
Mix Water : 11.40L/Min
Boiling Water : 4.33L/Min
Filtered Water : 4.95L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

4-1 SOVEREIGN

Pulldown Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safety lock - auto shut off handle
+ 220 degree spout swivel
+ Pull-down nozzle with weight
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 600mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 417mm
+ Width - 172mm
+ Spout to nozzle - 200mm
+ Base to nozzle - 210 mm

FLOW RATES

At 1 Bar:

Cold Water : 3.08L/Min
Hot Water : 3.06L/Min
Mix Water : 3.32L/Min
Boiling Water : 2.69L/Min
Filtered Water : 2.85L/Min

At 3 Bar:

Cold Water : 5.77L/Min
Hot Water : 5.74L/Min
Mix Water : 6.26L/Min
Boiling Water : 4.73L/Min
Filtered Water : 5.37L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

4-1 MONARCH

Pulldown Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safety lock - auto shut off handle
+ 220 degree spout swivel
+ Pull-down nozzle with weight
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 600mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 375mm
+ Width - 172mm
+ Spout to nozzle - 220mm
+ Base to nozzle - 210 mm

FLOW RATES

At 1 Bar:

Cold Water : 3.08L/Min
Hot Water : 3.06L/Min
Mix Water : 3.32L/Min
Boiling Water : 2.69L/Min
Filtered Water : 2.85L/Min

At 3 Bar:

Cold Water : 5.77L/Min
Hot Water : 5.74L/Min
Mix Water : 6.26L/Min
Boiling Water : 4.73L/Min
Filtered Water : 5.37L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

4-1 KENSINGTON

Traditional Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safety lock - auto shut off handle
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 700mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 410mm
+ Width - 186mm
+ Spout to nozzle - 207mm
+ Base to nozzle - 276 mm

FLOW RATES

At 1 Bar:

Cold Water : 4.56L/Min
Hot Water : 4.92L/Min
Mix Water : 6.19L/Min
Boiling Water : 2.66L/Min
Filtered Water : 3.43L/Min

At 3 Bar:

Cold Water : 8.06L/Min
Hot Water : 8.72L/Min
Mix Water : 11.37L/Min
Boiling Water : 4.72L/Min
Filtered Water : 6.12L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

DIGITAL 4-1 4OUR SWAN

Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safe - digital touch handle
+ Pan fill function with digital handle
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 700mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 390mm
+ Width - 161mm
+ Spout to nozzle - 200mm
+ Base to nozzle - 242mm

FLOW RATES

At 1 Bar:

Cold Water : 5.20L/Min
Hot Water : 5.01L/Min
Mix Water : 6.49L/Min
Boiling Water : 2.07L/Min
Filtered Water : 2.71L/Min

At 3 Bar:

Cold Water : 8.77L/Min
Hot Water : 8.81L/Min
Mix Water : 11.40L/Min
Boiling Water : 4.03L/Min
Filtered Water : 4.95L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

DIGITAL 4-1 4OUR SQUARE

Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safe - digital touch handle
+ Pan fill function with digital handle
+ 220 degree spout swivel
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 700mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 358mm
+ Width - 161mm
+ Spout to nozzle - 210mm
+ Base to nozzle - 268mm

FLOW RATES

At 1 Bar:

Cold Water : 5.20L/Min
Hot Water : 5.01L/Min
Mix Water : 6.49L/Min
Boiling Water : 2.07L/Min
Filtered Water : 2.71L/Min

At 3 Bar:

Cold Water : 8.77L/Min
Hot Water : 8.81L/Min
Mix Water : 11.40L/Min
Boiling Water : 4.03L/Min
Filtered Water : 4.95L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

DIGITAL 4-1 SOVEREIGN

Pulldown Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safe - digital touch handle
+ Pan fill function with digital handle
+ 220 degree spout swivel
+ Pull-down nozzle with weight
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 600mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 417mm
+ Width - 163mm
+ Spout to nozzle - 200mm
+ Base to nozzle - 210 mm

FLOW RATES

At 1 Bar:

Cold Water : 3.02L/Min
Hot Water : 3.00L/Min
Mix Water : 3.22L/Min
Boiling Water : 2.49L/Min
Filtered Water : 2.61L/Min

At 3 Bar:

Cold Water : 5.74L/Min
Hot Water : 5.68L/Min
Mix Water : 6.36L/Min
Boiling Water : 4.56L/Min
Filtered Water : 4.90L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

DIGITAL 4-1 MONARCH

Pulldown Boiling Water Tap

+ Filtered Boiling Water
+ Filtered Cold Water
+ Hot & Cold Mixer

TAP FEATURES

+ Cool touch body
+ Insulation - great heat preservation
+ Triflow design – no water contamination
+ Child safe - digital touch handle
+ Pan fill function with digital handle
+ 220 degree spout swivel
+ Pull-down nozzle with weight
+ Fits standard 35mm tap hole
+ Independent tube for boiling water. Domestic water can be run immediately after.
+ Extra long tap hoses for easier insallation - 600mm
+ WRAS approved

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*

*Note: the 4 in 1 instant hot water tap may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

+ Height - 375mm
+ Width - 163mm
+ Spout to nozzle - 220mm
+ Base to nozzle - 210 mm

FLOW RATES

At 1 Bar:

Cold Water : 3.02L/Min
Hot Water : 3.00L/Min
Mix Water : 3.22L/Min
Boiling Water : 2.49L/Min
Filtered Water : 2.61L/Min

At 3 Bar:

Cold Water : 5.74L/Min
Hot Water : 5.68L/Min
Mix Water : 6.36L/Min
Boiling Water : 4.56L/Min
Filtered Water : 4.90L/Min

Key: L = Litre, Min = Minute



INTU

FILTERED HOT TAPS

SOLO

2.4L Boiling Water Tank

+ On / Off Button
+ 98 Degree Temperature

TANK FEATURES

+ Durable powder coated carbon steel case or PET aircraft grade polymer
+ Materials certified to world recognised food safety standards
+ 2.4 litres stored water capacity
+ Safety shut off
+ Compatible with all water pressures - with use of PRV above 3 bar
+ No External Venting/Draining Required
+ ROHS compliant
+ Includes manufacturers standard parts and components

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*
+ Source – 230v – 50Hz
+ Power – 1300 watts
+ Plugs in to standard UK socket

*Note: the instant hot water tank may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

Height - 274 mm

Width - 197 mm

Depth - 197 mm



INTU

FILTERED HOT TAPS



NEXUS

2.4L Boiling Water Tank

+ Digital Touch Screen
+ Multiple Temperature Settings

TANK FEATURES

+ Easy to read, touch sensitive LED digital temperature display
+ Durable powder coated carbon steel case or PET aircraft grade polymer
+ Materials certified to world recognised food safety standards
+ Accurate Temperature Control +/- 1 degree
+ 14 temperature settings - 45,55,65,75,85,90-98 degrees
+ 2.4 litres stored water capacity
+ Safety shut off
+ Compatible with all water pressures - with use of PRV above 3 bar
+ No External Venting/Draining Required
+ ROHS compliant
+ Includes manufacturers standard parts and components

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*
+ Source – 230v – 50Hz
+ Power – 1300 watts
+ Plugs in to standard UK socket

*Note: the instant hot water tank may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

Height - 278 mm

Width - 165 mm

Depth - 262 mm



INTU

FILTERED HOT TAPS



NEXUS PRO

4L Boiling Water Tank

+ Digital Touch Screen
+ Multiple Temperature Settings

TANK FEATURES

+ Easy to read, touch sensitive LED digital temperature display
+ Durable powder coated carbon steel case or PET aircraft grade polymer
+ Materials certified to world recognised food safety standards
+ Accurate Temperature Control +/- 1 degree
+ 14 temperature settings - 45,55,65,75,85,90-98 degrees
+ 4 litres stored water capacity
+ Safety shut off
+ Compatible with all water pressures - with use of PRV above 3 bar
+ No External Venting/Draining Required
+ ROHS compliant
+ Includes manufacturers standard parts and components

TECHNICAL DATA

+ Min pressure: 1 Bar
+ Max pressure: 3 Bar*
+ Source – 230v – 50Hz
+ Power – 2000 watts
+ Plugs in to standard UK socket

*Note: the instant hot water tank may safely be run from a higher pressure cold water supply provided a suitable pressure reducing valve is fitted to the cold water supply pipe.

DIMENSIONS

Height - 254 mm

Width - 205 mm

Depth - 310 mm



INTU

FILTERED HOT TAPS

INTU PRO

Deluxe Water Filter

+ Quality Filtered Water 0.5µm
+ Limescale Breakdown Technology

FILTER FEATURES

+ Dual Filter – Filters for Taste and Scale protection
+ Filtration accuracy of 0.5µm
+ Limescale breakdown technology
+ Keeps in good minerals - Calcium and Magnesium
+ Green and environment material: PH number is neutral, and the maximum dissolved is 1~3ppm/L, no poison and not harmful for humans.

TECHNICAL DATA

+ The ION limescale removal efficiency is around 98% as it destroys the construction to avoid Ca and Mg to form as CaCO3 (Calcium Carbonate).
+ The Ca and Mg are still left in the water as Ions and they are helpful with health.

DIMENSIONS

Height - 319mm

Width - 92mm

Depth - 98mm